



THALIA



# THALIA



The Leica Thalia prime lenses offer a consistently cinematic look and feel throughout the range of 9 lenses from 24mm to 180mm for spherical large format, VistaVision or Super 35 cinematography.

---

## IMAGE CIRCLE

The Leica Thalia lenses offer a large image circle that covers sensors up to the ARRI ALEXA 65, but can be used to create equally stunning images on VistaVision and Super 35 sensors and film stocks as well.

---

## DIMENSIONALITY

Images captured with the Leica Thalia lenses can appear to have an added depth and dimensionality, especially on larger sensors, due to a gradual focus fall off curve. Rather than even, flat layers of focus across the frame, the Thalia lenses have a slight curve that can make an image “pop” because it is simultaneously more consistent with human vision and yet different from most images created with modern lenses.

---

## ANALOG LOOK

While the Leica Thalia lenses are not technically vintage lenses, they do offer many of the image characteristics that have driven cinematographers to pair older lenses with digital sensors. They are clear without being overly sharp and focus is smooth and forgiving without looking soft. Skin tones are natural and smooth with accurate color rendition.

---

## ALWAYS ROUND IRIS

The innovative iris design of the Leica Thalia lenses maintains a circular iris through all aperture stops, creating a cinematic bokeh that comes alive with character. Out-of-focus elements maintain their structure, which further adds to the sense of dimensionality in the image.

# TECHNICAL SPECIFICATIONS

<b>Focal Length (mm)</b>	24	30	35	45	55	70	100	120	180
<b>Image Circle</b>	60mm (ARRI ALEXA 65)								
<b>Aperture</b>	3.6	2.9	2.6	2.9	2.8	2.6	2.2	2.6	3.6
<b>Length (in)</b>	4.9"	5.2"	5.2"	5.2"	6.1"	4.9"	4.9"	6.9"	6.1"
<b>Length (mm)</b>	124.5	131.5	131.5	131.5	154.5	124.5	124.5	175	154.5
<b>Close Focus (ft)</b>	1'4"	1'8"	1'10"	2'	2'4"	1'8"	2'4"	1'10"	5'
<b>Close Focus (m)</b>	0.4	0.5	0.55	0.6	0.7	0.5	0.7	0.57	1.5
<b>Weight (lb)</b>	tbd	3lb 4.6oz	3lb 1.6oz	3lb 3.6oz	tbd	2lb 5.2oz	2lb 8.8oz	tbd	3lb 9.2oz
<b>Weight (kg)</b>	tbd	1.50	1.40	1.46	tbd	1.06	1.16	tbd	1.62



<b>Lens Mount</b>	PL - Stainless Steel
<b>Front Diameter</b>	95mm
<b>Front Filter</b>	Yes, 92mm screw-in
<b>Rear Filter</b>	Yes, via net holder
<b>Matched Focus/Iris Ring Locations</b>	Yes (all focal lengths)
<b>Focus Rotation</b>	270°
<b>Iris Blades</b>	15
<b>Iris Shape</b>	Circular through all stops



# CW SONDEROPTIC

CW Sonderoptic GmbH

Am Leitz-Park 1 | 35578 Wetzlar | Germany

[www.cw-sonderoptic.com](http://www.cw-sonderoptic.com) | [sales@cw-sonderoptic.com](mailto:sales@cw-sonderoptic.com)



**OFFICIAL PARTNER**  
CINE PRODUCTS